

SVM


Product Catalogue.



South Africa.

Contents

SVM1-Range	2
SVM2-Range	4
SVM3-Range	6
SVM4-Range	8
SVM5-Range	10
SVM8-Range	12
SVM10-Range	14
SVM12-Range	16
SVM15-Range	18
SVM16-Range	20
SVM20-Range	22
SVM32-Range	24
SVM45-Range	26
SVM64-Range	28
SVM90-Range	30
SVM120-Range	32
SVM150-Range	34
SVM200-Range	36
Sizes & Measurements	38



South Africa.




SVM1

Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)											
SVM1-20	0.37	13	12.5	12	11.5	11	10.5	10	9.5					
SVM1-30	0.37	19	18	17.5	17	16.5	16	15	14					
SVM1-40	0.37	24	23.5	23	22.5	21.5	21	19	18					
SVM1-50	0.37	30	29.6	29	28	27	26	24	22					
SVM1-60	0.37	36	35.5	35	33.5	33	31	28	26					
SVM1-70	0.37	42	41	40.5	39	38	36	33	30					
SVM1-80	0.55	48	47	46	45	43	41	38	34					
SVM1-90	0.55	54	53	52	51	49	46	43	39					
SVM1-100	0.55	60	59	58	57	54	51	48	43					
SVM1-110	0.55	66	65	63	61	59	56	52	47					
SVM1-120	0.75	72	71	69	67	64	61	57	51					
SVM1-130	0.75	78	77	75	73	69	66	62	55					
SVM1-150	0.75	89	88	86	84	79	76	71	63					
SVM1-170	1.1	101	99	97	95	89	86	80	71					
SVM1-190	1.1	113	110	108	106	99	96	89	79					
SVM1-210	1.1	124	122	120	117	110	106	98	87					
SVM1-230	1.1	137	133	131	128	121	116	107	96					
SVM1-250	1.5	149	145	143	139	131	126	116	104					
SVM1-270	1.5	161	157	155	150	141	136	125	112					
SVM1-300	1.5	178	175	171	166	157	150	139	124					
SVM1-330	2.2	196	192	188	183	173	165	154	137					
SVM1-360	2.2	214	210	205	200	190	181	169	151					




Performance curves





SVM2

Performance curves






Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)										
SVM2-20	0.37	18	17	16	15	13	12	10	8				
SVM2-30	0.37	27	26	24	22	20	18	15	12				
SVM2-40	0.55	36	35	33	30	26	24	20	16				
SVM2-50	0.55	45	43	40	37	33	30	24	20				
SVM2-60	0.75	53	52	50	45	40	36	30	24				
SVM2-70	0.75	63	61	57	52	47	41	35	28				
SVM2-90	1.1	80	78	73	67	61	54	45	37				
SVM2-110	1.1	98	95	89	82	73	64	54	44				
SVM2-130	1.5	116	114	106	98	89	78	65	52				
SVM2-150	1.5	134	130	123	112	100	90	73	60				
SVM2-180	2.2	161	157	148	136	121	108	91	76				
SVM2-220	2.2	197	192	180	165	148	130	110	90				
SVM2-260	3.0	232	228	214	198	179	158	130	110				



SVM3

Performance curves



Performance table


Model	Associated motor(kW)	Q (m³/h)	1.2	1.6	2.0	2.4	2.8	3.0	3.2	3.6	4.0
SVM3-20	0.37		12.5	11.5	11	10.5	10	9	8	7	6
SVM3-30	0.37		19	18.5	17.5	16.5	15	14	13	11	9
SVM3-40	0.37		25	24	23	21.5	20	19	18	15	12
SVM3-50	0.37		31	30	29	27	25	23	22	19	16
SVM3-60	0.55		36	35	34	32	30	28	27	23	19
SVM3-70	0.55		43	41	39	37	34	32	31	27	22
SVM3-80	0.75		49	47	45	43	39	37	35	31	25
SVM3-90	0.75		55	53	51	48	45	42	40	35	28
SVM3-100	0.75		61	59	57	54	50	47	45	39	31
SVM3-110	1.1		67	64	61	58	54	51	49	42	34
SVM3-120	1.1		73	70	67	63	58	55	52	45	37
SVM3-130	1.1		78	76	73	69	64	60	57	49	40
SVM3-150	1.1		90	88	84	79	73	69	66	57	46
SVM3-170	1.5		103	100	96	90	83	79	75	64	52
SVM3-190	1.5		115	112	107	100	92	88	83	72	58
SVM3-210	2.2		128	124	119	112	102	98	91	79	64
SVM3-230	2.2		140	135	130	122	112	107	100	86	70
SVM3-250	2.2		151	147	141	131	122	116	109	94	76
SVM3-270	2.2		164	159	152	143	132	124	117	101	82
SVM2-290	2.2		175	170	163	153	142	133	126	109	88
SVM3-310	3.0		187	182	175	165	153	142	135	116	94
SVM3-330	3.0		199	194	187	176	163	151	145	125	100
SVM3-360	3.0		218	212	204	192	178	168	159	137	109

H (m)





SVM4

Performance curves



Performance table


Model	Associated motor(kW)	Q (m³/h)	H (m)									
SVM4-20	0.37		19	18	17	15	13	10	8			
SVM4-30	0.55		28	27	26	24	20	18	13			
SVM4-40	0.75		38	36	34	32	27	24	19			
SVM4-50	1.1		47	45	43	40	34	31	23			
SVM4-60	1.1		56	54	52	48	41	37	28			
SVM4-70	1.5		66	63	61	56	48	43	33			
SVM4-80	1.5		74	72	70	64	55	50	38			
SVM4-100	2.2		96	90	87	81	71	62	48			
SVM4-120	2.2		114	108	104	95	85	75	58			
SVM4-140	3.0		136	126	122	112	101	89	68			
SVM4-160	3.0		152	144	140	129	115	101	78			
SVM4-190	4.0		183	171	168	153	137	122	93			
SVM4-220	4.0		211	200	192	178	160	138	108			







SVM5

Performance curves



Performance table


Model	Associated motor(kW)	Q (m³/h)	H (m)									
SVM5-20	0.37	12.5	11.5	10.5	9	7	7	7	7	7	7	3.5
SVM5-30	0.55	19.5	17.5	15.5	13.5	11	11	11	11	11	11	6
SVM5-40	0.55	26	23.5	21	18.5	15	15	15	15	15	15	8.5
SVM5-50	0.75	32.5	29.5	26.5	23	18.5	18.5	18.5	18.5	18.5	18.5	11
SVM5-60	1.1	38.5	34.5	31.5	28	23	23	23	23	23	23	14
SVM5-80	1.1	50.5	46	42.5	38	31.5	31.5	31.5	31.5	31.5	31.5	20
SVM5-100	1.5	63.5	58.5	54	48	41	41	41	41	41	41	27.5
SVM5-120	2.2	76	71	65.5	58.5	50.5	50.5	50.5	50.5	50.5	50.5	35
SVM5-140	2.2	89	82	76.5	68	58.5	58.5	58.5	58.5	58.5	58.5	40
SVM5-160	2.2	101	94	87	77.5	66.5	66.5	66.5	66.5	66.5	66.5	46
SVM5-180	3.0	115	107	99	88.5	77	77	77	77	77	77	53
SVM5-200	3.0	129	120	112	100	87	87	87	87	87	87	62
SVM5-220	4.0	142	132	123	111	96	96	96	96	96	96	69
SVM5-240	4.0	156	144	134	121	105	105	105	105	105	105	75.5
SVM5-260	4.0	169	157	145	131	113	113	113	113	113	113	81
SVM5-290	4.0	189	175	162	146	125	125	125	125	125	125	88
SVM5-320	5.5	209	194	180	162	141	141	141	141	141	141	102
SVM5-360	5.5	232	216	201	181	158	158	158	158	158	158	114






SVM8

Performance curves



Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)									
SVM8-20	0.75	20	19.5	19	18	17	16	14	13			
SVM8-30	1.1	30	29.5	28.5	27	25	24	21	19			
SVM8-40	1.5	41	39.5	38	36	34	32	28	26			
SVM8-50	2.2	52	50	48	45	42	40	36	32			
SVM8-60	2.2	62	60	57	54	51	48	43	39			
SVM8-80	3.0	83	80	77	73	69	65	58	52			
SVM8-100	4.0	104	100	97	92	87	81	73	65			
SVM8-120	4.0	124	120	116	111	104	92	87	78			
SVM8-140	5.5	145	141	136	130	122	113	102	92			
SVM8-160	5.5	166	161	156	148	139	130	118	106			
SVM8-180	7.5	187	182	175	167	157	146	134	120			
SVM8-200	7.5	208	202	195	186	175	163	150	135			






SVM10

Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)										
			5	6	7	8	9	10	11	12	13	14	15
SVM10-20	0.75		18.5	17	16	14	13	12	10	8.5	7		
SVM10-30	1.1		30	28.5	27.5	25.5	24.5	22	20	18	14.5		
SVM10-40	1.5		40.5	39.5	38.5	36.5	34	31.5	28.5	25.5	21		
SVM10-50	2.2		50	49	47.5	45.5	42.5	39.5	36	32	27		
SVM10-60	2.2		60	59	57	55	51	47.5	43.5	39	33.5		
SVM10-70	3.0		70.5	69	66.5	64	59.5	55.5	50.5	45.5	39		
SVM10-80	3.0		81	79	77	74.5	69	64	58.5	53	44.5		
SVM10-90	3.0		91	89	86.5	82.5	78	72	66.5	59.5	50		
SVM10-100	4.0		101.5	99	96.5	92.5	87.5	81.5	74	67	57		
SVM10-120	4.0		120.5	119	114	110	104	97	88.5	80	68		
SVM10-140	5.5		142	139	134.5	131	123	114	103.5	93.5	80		
SVM10-160	5.5		162	159	154	148.5	139	130	119	107	91		
SVM10-180	7.5		183	180	175	167	158	148	136	121	105		
SVM10-200	7.5		203	200	195	186	176	165	151	134	118		
SVM10-220	7.5		222	219	213	203	192	179	165	149	130		


Performance curves







SVM12

Performance curves



Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)													
SVM12-20	1.5	23.5	23	22.5	22	21	20	18.5	17	15.5	14					
SVM12-30	2.2	35.5	35	34	33	31.5	30	28	26	23.5	21					
SVM12-40	3	47	46	45	44	42	40	37	34	31	28					
SVM12-50	3	59.5	58	56.5	55	52.5	50	46.5	43	39	35					
SVM12-60	4	71.5	70	68	66	63	60	56	52	47	42					
SVM12-70	5.5	83.5	82	79.5	77	73.5	70	65.5	61	55	49					
SVM12-80	5.5	95.5	94	91	88	84	80	75	70	63	56					
SVM12-90	5.5	108	106	103	100	95.5	91	85	79	71.5	64					
SVM12-100	7.5	120	118	114.5	111	106	101	94.5	88	80	72					
SVM12-120	7.5	143.5	141	137	133	127	121	113.5	106	96	86					
SVM12-140	9.2	168	165	160	155	148	141	132.5	124	112	100					
SVM12-160	11	192.5	189	183.5	178	170	162	152	142	128.5	115					
SVM12-180	11	217	213	207.5	202	192.5	183	171.5	160	145	130					






Performance curves



SVM15

Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)											
SVM15-10	1.1	13	12	11.5	10.5	10	9	7.5	6	4.5	23			
SVM15-20	2.2	26	25	24	23	22	20.5	18	16	13				
SVM15-30	3.0	39.5	38.5	37.5	35.5	34.5	33.5	30.5	27	21				
SVM15-40	4.0	53	51.5	50	47.5	46	44.5	41	36.5	29				
SVM15-50	4.0	67	64.5	62.5	60	58	55.5	52	46	37				
SVM15-60	5.5	80.5	78	76	73	70.5	68	63.5	57	46.5				
SVM15-70	5.5	94	92	89.5	86	83.5	81	75.5	68.5	56.5				
SVM15-80	7.5	107.5	106	102.5	98.5	96	93	86.5	78	64.5				
SVM15-90	7.5	120	118	114.5	110	107	105	97	88	72				
SVM15-100	11	134	132	128	123	120	116.5	108.5	98.5	82.5				
SVM15-120	11	161	158	154	148	144	139	130	119	99				
SVM15-140	11	186	183	178	172	167	162	152	139	116				
SVM15-170	15	227	224	217	210	203	196	185	167	140				






Performance curves



SVM16

Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)										
SVM16-20	2.2	27	26	25	24	22	21	19	18	16	14	12	10
SVM16-30	3.0	41	40	38	37	34	32	29	25				
SVM16-40	4.0	54	53	52	49	46	43	38	34				
SVM16-50	5.5	68	67	65	62	58	54	48	43				
SVM16-60	5.5	82	80	78	74	70	64	58	52				
SVM16-70	7.5	96	95	91	87	82	76	68	61				
SVM16-80	7.5	110	108	104	99	94	86	77	70				
SVM16-100	9.2	138	136	131	125	118	109	97	87				
SVM16-120	11	166	162	157	150	141	130	116	105				
SVM16-140	15	194	190	184	175	166	152	136	122				
SVM16-160	15	222	217	210	200	189	174	156	140				








SVM20

Performance table


Model	Associated motor(kW)	Q (m³/h)	H (m)															
SVM20-10	1.1	13.5	13	12.5	12	11	10	9	8	7	6							
SVM20-20	2.2	27	26.5	26	25	24	23	22	20	18	15							
SVM20-30	4.0	40	39.5	39	38	37	35	33	30	27	24							
SVM20-40	5.5	54	53	52	51	49	47	44	41	37	33							
SVM20-50	5.5	67	66	64	62	60	58	55	50	45	40							
SVM20-60	7.5	81	79	77	75	73	70	66	61	55	49							
SVM20-70	7.5	95	93	91	89	86	82	77	71	65	58							
SVM20-80	9.2	109	107	105	102	99	94	89	82	75	67							
SVM20-100	11	136	134	131	128	124	118	111	103	95	85							
SVM20-120	15	164	162	158	154	149	142	133	124	114	102							
SVM20-140	15	192	189	185	180	174	166	156	145	133	119							
SVM20-170	18.5	234	230	225	219	212	202	190	177	162	145							





SVM32


PERFORMANCE CURVES



Performance table

Model	Associated motor (kW)	Q (m³/h)	H (m)	16	20	24	28	32	36	40
SVM32-10-1	1.5			14	13	12	11	9	7	4
SVM32-10	2.2			18	17	15	14	13	11	8
SVM32-20-2	3.0			29	28	26	23	20	16	11
SVM32-20	4.0			36	34	32	29	27	23	18
SVM32-30-2	5.5			47	44	41	38	33	28	21
SVM32-30	5.5			54	51	48	44	40	35	27
SVM32-40-2	7.5			65	62	58	53	46	40	30
SVM32-40	7.5			72	69	65	59	53	47	37
SVM32-50-2	9.2			83	79	74	68	60	52	41
SVM32-50	9.2			90	86	81	74	67	59	47
SVM32-60-2	11			101	97	90	83	74	65	51
SVM32-60	11			108	104	97	90	81	72	57
SVM32-70-2	15			119	114	107	98	88	78	60
SVM32-70	15			126	121	113	105	95	85	67
SVM32-80-2	15			136	131	123	114	102	90	71
SVM32-80	15			144	138	130	120	109	97	77


Model	Associated motor (kW)	Q (m³/h)	H (m)	16	20	24	28	32	36	40
SVM32-90-2	18.5			154	148	140	129	117	102	82
SVM32-90	18.5			162	156	147	136	124	109	88
SVM32-100-2	18.5			175	166	157	146	131	115	91
SVM32-100	18.5			182	173	164	152	138	122	98
SVM32-110-2	22			193	184	173	164	146	128	102
SVM32-110	22			200	191	180	168	153	135	109
SVM32-120-2	22			211	201	189	178	160	140	113
SVM32-120	22			218	208	196	184	167	147	120
SVM32-130-2	26			220	218	206	193	174	153	124
SVM32-130	26			237	225	213	200	181	160	131
SVM32-140-2	26			247	235	222	210	189	165	135
SVM32-140	30			255	242	229	216	196	172	142
SVM32-150-2	30			266	253	239	224	203	178	145
SVM32-150	30			274	260	246	231	210	185	152
SVM32-160-2	30			284	270	255	240	218	190	156
SVM32-160	30			292	277	262	246	225	197	163







SVM45

Performance curves



Performance table


Model	Associated motor(kW)	Q (m³/h)	H (m)										
SVM45-10-1	3.0		20	19	18	17	15	13	11				
SVM45-10	4.0		24	23	22	21	19	18	16				
SVM45-20-2	5.5		40	38	36	33	30	27	23				
SVM45-20	7.5		48	46	44	42	39	35	31				
SVM45-30-2	9.2		63	61	58	54	50	44	38				
SVM45-30	11		71	69	66	63	58	53	47				
SVM45-40-2	15		87	84	80	75	69	62	54				
SVM45-40	15		95	92	88	84	78	71	62				
SVM45-50-2	18.5		111	107	102	96	88	80	69				
SVM45-50	18.5		119	115	110	105	97	88	78				
SVM45-60-2	22		135	130	124	117	108	97	85				
SVM45-60	22		143	138	132	125	116	106	93				
SVM45-70-2	26		158	152	146	138	127	115	100				
SVM45-70	26		166	161	154	146	135	124	109				
SVM45-80-2	30		182	175	168	159	146	133	116				
SVM45-80	30		190	184	176	167	154	141	124				
SVM45-90-2	30		205	198	190	180	166	150	132				
SVM45-90	37		214	207	198	188	174	159	140				
SVM45-100-2	37		230	221	212	200	185	168	147				
SVM45-100	37		238	230	220	209	193	177	155				
SVM45-110-2	45		255	246	236	223	206	188	165				
SVM45-110	45		263	255	244	232	214	196	173				
SVM45-120-2	45		280	270	259	245	226	206	181				
SVM45-120	45		289	280	268	255	236	216	190				
SVM45-130-2	45		305	294	282	267	247	225	198				







SVM64

Performance curves



Performance table




Model	Associated motor(kW)	Q (m³/h)	H (m)									
SVM64-10-1	4.0		19	18	16	14	13	11	8			
SVM64-10	5.5		27	25	23	21	20	18	15			
SVM64-20-2	7.5		39	36	33	29	27	23	17			
SVM64-20-1	11		46	44	40	36	34	30	24			
SVM64-20	11		53	51	47	43	41	37	30			
SVM64-30-2	15		66	62	56	50	47	41	32			
SVM64-30-1	15		73	69	63	57	54	48	39			
SVM64-30	18.5		80	76	70	64	61	55	46			
SVM64-40-2	18.5		92	87	80	71	67	60	47			
SVM64-40-1	22		100	94	87	78	74	67	54			
SVM64-40	22		107	101	94	85	81	74	61			
SVM64-50-2	26		121	114	105	95	89	80	64			
SVM64-50-1	26		128	121	112	102	96	87	71			
SVM64-50	30		136	129	119	109	103	94	78			
SVM64-60-2	30		150	142	131	118	111	101	81			
SVM64-60-1	37		157	149	138	125	118	108	88			
SVM64-60	37		164	156	145	132	125	115	95			
SVM64-70-2	37		179	169	156	141	133	121	99			
SVM64-70-1	37		186	176	163	148	141	128	106			
SVM64-70	45		193	183	170	155	148	135	112			
SVM64-80-2	45		207	196	182	164	156	142	116			
SVM64-80-1	45		215	203	189	171	163	149	123			





SVM90

Performance curves




Performance table


Model	Associated motor(kW)	Q (m³/h)	H (m)									
SVM90-10-1	5.5		22	19	17	16	13	10	6			
SVM90-10	7.5		25	24	22	21	19	16	12			
SVM90-20-2	11		41	39	36	32	28	22	15			
SVM90-20	15		53	50	47	44	40	36	30			
SVM90-30-2	18.5		68	65	60	55	49	41	32			
SVM90-30	22		81	77	72	67	62	55	48			
SVM90-40-2	26		98	93	87	80	72	62	50			
SVM90-40	30		110	105	100	92	84	76	66			
SVM90-50-2	37		126	120	113	104	93	81	68			
SVM90-50	37		139	131	124	115	106	94	83			
SVM90-60-2	45		155	148	139	129	117	102	86			
SVM90-60	45		168	160	150	141	130	117	103			



SVM120


**Performance table**

Model	Associated motor(kW)	Q (m³/h)	H (m)											
SVM120-10	11		22	21.8	21.6	21	20.5	19.5	18.5	17	16	15		
SVM120-20-2	15		34	33.6	33	31	30.2	30	28.5	27	25	24		
SVM120-20-1	18.5		41	40	39.5	38.5	37	36.5	34.5	32.5	30	27.5		
SVM120-20	22		46	45	44.5	43.5	42.4	41	40	38	36	33.5		
SVM120-30-2	26		57	56	55	53.5	52	51	49	46.5	43.5	41		
SVM120-30-1	30		64	63	62	60	58.5	57.5	55.5	52	49	46		
SVM120-30	30		69.5	68.5	67.5	66	64.4	62.5	61	57.5	54.5	51		
SVM120-40-2	37		80.5	79	78	76	73.5	72	69	66	61.5	58		
SVM120-40-1	37		87	86	84.5	82	80	78	76	72	68	64.5		
SVM120-40	45		92.5	91	90	88	85.5	83	81	77	73	68.5		
SVM120-50-2	45		104.5	103	101	99	96	93	90	85.5	80.5	75.5		
SVM120-50-1	45		110.5	109	107.5	105	102	100	97	92	86.5	83		
SVM120-50	55		115.5	114	113	110	107.5	104.5	101.5	96	91	86		
SVM120-60-2	55		128	125.5	123	121	117.3	113.5	110	104.5	98.5	92.5		
SVM120-60-1	55		134	132	130.5	127	124	121	118	111	105	100		
SVM120-60	75		139	137	135	132	128.8	126	123	116	110	104		
SVM120-70-2	75		151	148	145.5	143	138.6	134	130	123.5	116.5	109		
SVM120-70-1	75		156.5	154	152	148.5	144.5	141	137.5	130	123	116.5		
SVM120-70	75		162.5	160.5	158.5	155	151	148	145	137	129	123		







SVM150



Performance table

Model	Associated motor(kW)	Q (m³/h)	H (m)															
SVM150-10-1	11		18.3	17.8	17.3	17	16	15	14	12.5	11	10	8.5					
SVM150-10	15		24	23	22.5	22	21.5	20.5	20	18.5	17	16	15					
SVM150-20-2	18.5		37	35.5	34	33	32	31	29	27.5	26	23	21					
SVM150-20-1	22		44.3	43	42	40	39	38.5	37.5	35	33	30	27					
SVM150-20	26		50	49	48	47	45.5	44	42	40	37	34	32					
SVM150-30-2	30		63.5	61	59	57.5	56	54.5	53	49	45.5	42	39					
SVM150-30-1	37		70	68	67	65	63	62	60	56	53	49	45					
SVM150-30	37		78	76.5	75	73	70.5	68	66	63	59	55	50.5					
SVM150-40-2	45		89	87	84	81.5	79	77	74.5	70.5	65.5	60	56					
SVM150-40-1	45		96.5	94	91.5	89	86.5	84	81.5	77	72.5	67	62					
SVM150-40	55		104	102	100	97	95	91	88	84	79.5	74	68					
SVM150-50-2	55		115.5	112	109	106	102.5	100	97	92	86	79	73.5					
SVM150-50-1	75		122.5	119.5	117	113.5	111.5	107.5	104.5	99	93.5	87	80					
SVM150-50	75		130	127.5	125	121	119	115	111.5	106.5	101	94.5	86.5					
SVM150-60-2	75		140	137	133	130	126	121	118	112	106	98	91					
SVM150-60-1	75		148.5	145	141.7	137.5	135	131	127	120.5	114.5	106.5	97.5					
SVM150-60	75		157	153	149	145	142	139.5	137	130	123.5	116	109					








SVM200


Performance table

Model	Associated motor(kW)	Q (m³/h)												H (m)											
SVM200-10-B	18.5	25.5												25											
SVM200-10-A	22	29												28.5											
SVM200-10	30	38.5												38											
SVM200-20-2B	37	53												51											
SVM200-20-2A	45	59.5												58											
SVM200-20-A	55	69												68											
SVM200-20	55	78.5												77.5											
SVM200-30-2B	75	91.5												89											
SVM200-30-A-B	75	95												93											
SVM200-30-2A	75	99.5												97.5											
SVM200-30-B	75	104.5												102.5											
SVM200-30-A	75	108												106											
SVM200-30	90	117.5												116											
SVM200-40-2B	90	131.5												129											
SVM200-40-2A	110	138.5												136											
SVM200-40-A	110	148												145.5											
SVM200-40	110	157.5												155.5											



Installation drawing


Size & Weight




Model	Size (mm)				Weight (kg)
	B1	B2	B1+B2	D1	D2
SVM1-20	258	225	483	148	117
SVM1-30	276	225	501	148	117
SVM1-40	294	225	519	148	117
SVM1-50	312	225	537	148	117
SVM1-60	330	225	555	148	117
SVM1-70	348	225	573	148	117
SVM1-80	366	225	591	148	117
SVM1-90	384	225	609	148	117
SVM1-100	402	225	627	148	117
SVM1-110	420	225	645	148	117
SVM1-120	448	245	693	170	142
SVM1-130	466	245	711	170	142
SVM1-150	502	245	747	170	142
SVM1-170	538	245	783	170	142
SVM1-190	574	245	819	170	142
SVM1-210	610	245	855	170	142
SVM1-230	646	245	891	170	142
SVM1-250	692	290	982	190	155
SVM1-270	728	290	1018	190	155
SVM1-300	782	290	1072	190	155
SVM1-330	836	290	1126	190	155
SVM1-360	890	290	1180	190	155

Installation drawing


Size & Weight



Model	Size (mm)				Weight (kg)
	B1	B2	B1+B2	D1	D2
SVM3-20	258	225	483	148	117
SVM3-30	276	225	501	148	117
SVM3-40	294	225	519	148	117
SVM3-50	312	225	537	148	117
SVM3-60	330	225	555	148	117
SVM3-70	348	225	573	148	117
SVM3-80	376	245	621	170	142
SVM3-90	394	245	639	170	142
SVM3-100	412	245	657	170	142
SVM3-110	430	245	675	170	142
SVM3-120	448	245	693	170	142
SVM3-130	466	245	711	170	142
SVM3-150	502	245	747	170	142
SVM3-170	548	290	838	190	155
SVM3-190	584	290	874	190	155
SVM3-210	620	290	910	190	155
SVM3-230	656	290	946	190	155
SVM3-250	692	290	982	190	155
SVM3-270	728	290	1018	190	155
SVM3-290	764	290	1054	190	155
SVM3-310	810	345	1155	197	165
SVM3-330	846	345	1191	197	165
SVM3-360	900	345	1245	197	165



Model	Size (mm)				Weight (kg)
	B1	B2	B1+B2	D1	D2
SVM2-20	258	225	483	148	117
SVM2-30	276	225	501	148	117
SVM2-40	294	225	519	148	117
SVM2-50	312	225	537	148	117
SVM2-60	340	245	585	170	142
SVM2-70	358	245	603	170	142
SVM2-90	394	245	639	170	142
SVM2-110	430	245	675	170	142
SVM2-130	476	290	766	190	155
SVM2-150	512	290	802	190	155
SVM2-180	566	290	856	190	155
SVM2-220	638	290	928	190	155
SVM2-260	720	345	1065	197	165





Model	Size (mm)				Weight (kg)
	B1	B2	B1+B2	D1	D2
SVM4-20	276	225	501	148	117
SVM4-30	303	225	528	148	117
SVM4-40	340	245	585	170	142
SVM4-50	367	245	612	170	142
SVM4-60	394	245	639	170	142
SVM4-70	431	290	721	190	155
SVM4-80	458	290	748	190	155
SVM4-100	512	290	802	190	155
SVM4-120	566	290	856	190	155
SVM4-140	630	345	975	197	165
SVM4-160	684	345	1029	197	165
SVM4-190	765	355	1120	230	188
SVM4-220	846	355	1201	230	188

Installation drawing

Size & Weight





SVM5	Model	Size(mm)				Weight (kg)
		B1	B2	B1+B2	D1	D2
	SVM5-20	276	225	501	148	117
	SVM5-30	303	225	528	148	117
	SVM5-40	330	225	555	148	117
	SVM5-50	367	245	612	170	142
	SVM5-60	394	245	639	170	142
	SVM5-80	448	245	693	170	142
	SVM5-100	512	290	802	190	155
	SVM5-120	566	290	856	190	155
	SVM5-140	620	290	910	190	155
	SVM5-160	674	290	964	190	155
	SVM5-180	738	345	1083	197	165
	SVM5-200	792	345	1137	197	165
	SVM5-220	846	355	1201	230	185
	SVM5-240	900	355	1255	230	185
	SVM5-260	954	355	1309	230	185
	SVM5-290	1035	355	1390	230	185
	SVM5-320	1136	390	1526	260	210
	SVM5-360	1244	390	1634	260	210



Installation drawing

Size & Weight



SVM8	Model	Size(mm)				Weight (kg)
		B1	B2	B1+B2	D1	D2
	SVM8-20	347	245	592	170	142
	SVM8-30	377	245	622	170	142
	SVM8-40	417	290	707	190	155
	SVM8-50	447	290	737	190	155
	SVM8-60	477	290	767	190	155
	SVM8-80	547	345	892	197	165
	SVM8-100	607	355	962	230	188
	SVM8-120	667	355	1022	230	188
	SVM8-140	747	390	1137	260	208
	SVM8-160	807	390	1197	260	208
	SVM8-180	867	390	1257	260	208
	SVM8-200	927	390	1317	260	208




Installation drawing

Size & Weight

SVM12	Model	Size(mm)				Weight (kg)
		B1	B2	B1+B2	D1	D2
	SVM12-20	367	290	657	190	155
	SVM12-30	397	290	687	190	155
	SVM12-40	437	345	782	197	165
	SVM12-50	467	345	812	197	165
	SVM12-60	497	355	852	230	188
	SVM12-70	547	390	937	260	208
	SVM12-80	577	390	967	260	208
	SVM12-90	607	390	997	260	208
	SVM12-100	637	390	1027	260	208
	SVM12-120	697	390	1087	260	208
	SVM12-140	757	390	1147	260	208
	SVM12-160	905	500	1405	330	255
	SVM12-180	965	500	1465	330	255



Size & Weight



SVM15	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM15-10	352	245	597	170	142	33
	SVM15-20	397	290	687	190	155	42
	SVM15-30	452	345	797	197	165	50
	SVM15-40	497	355	852	230	185	59
	SVM15-50	542	355	897	230	185	60
	SVM15-60	607	390	997	260	210	77
	SVM15-70	652	390	1042	260	210	78
	SVM15-80	697	390	1087	260	210	86
	SVM15-90	742	390	1132	260	210	87
	SVM15-100	875	500	1375	330	255	160
	SVM15-120	965	500	1465	330	255	161
	SVM15-140	1055	500	1555	330	255	162
	SVM15-170	1190	500	1690	330	255	179

Sleeve chuck

4×Φ14


R.L2

Pipe Thread

Flange

991-Φ


5710



Size & Weight


SVM20	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM20-10	387	245	632	170	142	33
	SVM20-20	397	290	687	190	155	42
	SVM20-30	452	355	807	230	188	58
	SVM20-40	517	390	907	260	208	74
	SVM20-50	562	390	952	260	208	76
	SVM20-60	607	390	997	260	208	82
	SVM20-70	652	390	1042	260	208	84
	SVM20-80	697	390	1087	260	208	101
	SVM20-100	875	500	1375	330	255	157
	SVM20-120	965	500	1465	330	255	170
	SVM20-140	1055	500	1555	330	255	172
	SVM20-170	1190	550	1740	330	255	195

Sleeve chuck



40h7/k6
30h7/k6
100

Pipe Thread




99.1
86.1
100

Flange




99.1
86.1
100



Installation drawing

Installation drawing

Size & Weight



SVM16	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM16-20	397	290	687	190	155	42
	SVM16-30	452	345	797	197	165	50
	SVM16-40	497	355	852	230	188	59
	SVM16-50	562	390	952	260	208	76
	SVM16-60	607	390	997	260	208	77
	SVM16-70	652	390	1042	260	208	84
	SVM16-80	697	390	1087	260	208	86
	SVM16-100	787	390	1177	260	208	106
	SVM16-120	965	500	1465	330	255	161
	SVM16-140	1055	500	1555	330	255	174
	SVM16-160	1145	500	1645	330	255	178

Sleeve chuck

4xφ1.4

R1.2


Pipe Thread

1.2

1.2

1.2


Flange



Size & Weight

SVM32


32	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM32-10-1/SVM32-10	505	290	795	190	155	64/68
	SVM32-20-2/SVM32-20	575	345/355	920/930	197/220	165/180	77/85
	SVM32-30-2/SVM32-30	645	390	1035	260	208	100
	SVM32-40-2/SVM32-40	715	390	1105	260	208	109
	SVM32-50-2/SVM32-50	785	390	1175	260	208	125
	SVM32-60-2/SVM32-60	960	500	1460	330	255	185
	SVM32-70-2/SVM32-70	1030	500	1530	330	255	199
	SVM32-80-2/SVM32-80	1100	500	1600	330	255	203
	SVM32-90-2/SVM32-90	1170	550	1720	330	255	222
	SVM32-100-2/SVM32-100	1240	550	1790	330	255	227
	SVM32-110-2/SVM32-110	1310	575	1885	360	285	272
	SVM32-120-2/SVM32-120	1380	575	1955	360	285	276
	SVM32-130-2/SVM32-130	1450	575	2025	360	285	293
	SVM32-140-2/SVM32-140	1520	575/650	2095/2170	360/400	285/310	298/341
	SVM32-150-2/SVM32-150	1590	650	2240	400	310	345
	SVM32-160-2/SVM32-160	1660	650	2310	400	310	350




Size & Weight

Size & Weight

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVMA45-10-1	561	345/355	906/916	197/230	165/188	83/90
SVMA45-10						
SVMA45-20-2	641	390	1031	260	208	105/110
SVMA45-20						
SVMA45-30-2	721/826	390/500	1111/1326	260/330	208/255	127/183
SVMA45-30						
SVMA45-40-2	906	500	1406	330	255	197
SVMA45-40						
SVMA45-50-2	986	550	1536	330	255	221
SVMA45-50						
SVMA45-60-2	1066	575	1641	360	285	261
SVMA45-60						
SVMA45-70-2	1146	575	1721	360	285	288
SVMA45-70						
SVMA45-80-2	1226	650	1876	400	310	324
SVMA45-80						
SVMA45-90-2	1306	650	1956	400	310	328/352
SVMA45-90						
SVMA45-100-2	1386	650	2036	400	310	355
SVMA45-100						
SVMA45-110-2	1466	685	2151	450	345	426
SVMA45-110						
SVMA45-120-2	1546	685	2231	450	345	432
SVMA45-120						
SVMA45-130-2	1626	685	2311	450	345	438




Installation drawing



Size & Weight

Model	Size(mm)				Weight (kg)	
	B1	B2	B1+B2	D1		D2
SVM64-10-1	561	355	916	230	188	93
SVM64-10-2	561	390	951	260	208	105
SVM64-20-2	644	390	1034	260	208	110
SVM64-20-1	754	500	1254	330	255	182
SVM64-20	754	500	1254	330	255	182
SVM64-30-2	836	500	1336	330	255	196
SVM64-30-1	836	500	1336	330	255	197
SVM64-30	836	550	1386	330	255	221
SVM64-40-2	919	550	1469	330	255	225
SVM64-40-1	919	575	1494	360	285	258
SVM64-40	919	575	1494	360	285	258
SVM64-50-2	1001	575	1576	360	285	276
SVM64-50-1	1001	575	1576	360	285	276
SVM64-50	1001	650	1651	400	310	320
SVM64-60-2	1084	650	1734	400	310	325
SVM64-60-1	1084	650	1734	400	310	349
SVM64-60	1084	650	1734	400	310	349
SVM64-70-2	1166	650	1816	400	310	353
SVM64-70-1	1166	650	1816	400	310	353
SVM64-70	1166	685	1851	460	340	420
SVM64-80-2	1248	685	1933	460	340	424
SVM64-80-1	1248	685	1933	460	340	424

Installation drawing




Size & Weight

Model	Size (mm)				Weight (kg)
	B1	B2	B1+B2	D1 D2	
SVM120-10	840	500	1340	330 255	230
SVM120-20-2	1000	500	1500	330 255	245
SVM120-20-1	1000	550	1550	330 255	250
SVM120-20	1000	575	1575	360 285	285
SVM120-30-2	1160	575	1735	360 285	326
SVM120-30-1	1160	650	1810	400 310	360
SVM120-30	1160	650	1810	400 310	360
SVM120-40-2	1320	650	1970	400 310	400
SVM120-40-1	1320	650	1970	400 310	400
SVM120-40	1320	685	2005	460 340	460
SVM120-50-2	1480	685	2165	460 340	470
SVM120-50-1	1480	685	2165	460 340	470
SVM120-50	1510	760	2270	540 370	575
SVM120-60-2	1670	760	2430	540 370	585
SVM120-60-1	1670	760	2430	540 370	585
SVM120-60	1830	845	2515	580 410	705
SVM120-70-2	1830	845	2675	580 410	715
SVM120-70-1	1830	845	2675	580 410	715
SVM120-70	1830	845	2675	580 410	715


SVM90

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM90-10-1	571	390	961	260	208	105
SVM90-10	571	390	961	260	208	110
SVM90-20-2	773	500	1273	330	255	181
SVM90-20	773	500	1273	330	255	192
SVM90-30-2	865	550	1415	330	255	215
SVM90-30	865	575	1440	360	285	252
SVM90-40-2	957	575	1532	360	285	271
SVM90-40	957	650	1607	400	310	312
SVM90-50-2	1049	650	1699	400	310	336
SVM90-50	1049	650	1699	400	310	336
SVM90-60-2	1141	685	1826	460	340	407
SVM90-60	1141	685	1826	460	340	407



- 44 -


Installation drawing



Size & Weight

SVM150	Model	Size(mm)				Weight (kg)
		B1	B2	B1+B2	D1	D2
	SVM150-10-1	840	500	1340	330	255
	SVM150-10	840	500	1340	330	235
	SVM150-20-2	1000	550	1550	330	255
	SVM150-20-1	1000	575	1575	360	285
	SVM150-20	1000	575	1575	360	285
	SVM150-30-2	1160	650	1810	400	310
	SVM150-30-1	1160	650	1810	400	310
	SVM150-30	1160	650	1810	400	310
	SVM150-40-2	1320	685	2005	460	340
	SVM150-40-1	1320	685	2005	460	340
	SVM150-40	1350	760	2110	540	370
	SVM150-50-2	1510	760	2270	540	370
	SVM150-50-1	1510	845	2355	580	410
	SVM150-50	1510	845	2355	580	410
	SVM150-60-2	1670	845	2515	580	410
	SVM150-60-1	1670	845	2515	580	410
	SVM150-60	1670	845	2515	580	410

Installation drawing



Size & Weight

SVM200	Model	Size(mm)				Weight (kg)
		B1	B2	B1+B2	D1	D2
	SVM200-10-B	907	550	1457	330	255
	SVM200-10-A	907	575	1482	360	285
	SVM200-10	907	650	1557	400	310
	SVM200-20-2B	1101	650	1751	400	310
	SVM200-20-2A	1101	685	1786	460	340
	SVM200-20-A	1131	760	1891	540	370
	SVM200-20	1131	760	1891	540	370
	SVM200-30-2B	1325	845	2170	580	410
	SVM200-30-A-B	1325	845	2170	580	410
	SVM200-30-2A	1325	845	2170	580	410
	SVM200-30-B	1325	845	2170	580	410
	SVM200-30-A	1325	845	2170	580	410
	SVM200-30	1325	895	2220	580	410
	SVM200-40-2B	1519	895	2414	580	410
	SVM200-40-2A	1519	1140	2659	645	550
	SVM200-40-A	1519	1140	2659	645	550
	SVM200-40	1519	1140	2659	645	550

Mechanical Seal

Shaft

Motor Mounts

Model	Diameter (mm)
SVM 1/2/3/4/5	Ø12
SVM 8/10/12/15/16/20	Ø16
SVM 32/45/64/90	Ø22
SVM 120/150	Ø32
SVM 200	Ø36

Model	Diameter (mm)
SVM 1/2/3/4/5	Ø12
SVM 8/10/12/15/16/20	Ø16
SVM 32/45/64/90	Ø22
SVM 120/150	Ø32
SVM 200	Ø36

Frame Size	Power (kW)	Mounting	IP55	
			Front Bearing	Back Bearing
71	0.37 / 0.55	V18 / B14	6202	6202
80	0.75 / 1.1	V18 / B14	6204	6204
YL80 Single Phase	0.75 / 1.1	V18 / B14	6204	6204
90	1.5 / 2.2	V18 / B14	6305	6205
YL90 Single Phase	1.5 / 2.2	V18 / B14	6305	6205
100	3	V18 / B14	6306	6206
112	4	V18 / B14	6306	6306
132	5.5 / 7.5	V18 / B14	7308B / 6308	6308
160	11 / 15 / 18.5	V1 / B5	7309B / 6309	6309
180	22	V1 / B5	6311	7311A
200	30 / 37	V1 / B5	6312	7312A
225	45	V1 / B5	6313	7313A
250	55 / 75	V1 / B5	6314	7314A
280	90	V1 / B5	6317	7317A